




Prospective authors:  
Please read the editorial  
of this issue before submitting  
your manuscript.

# THE TURKISH JOURNAL OF GASTROENTEROLOGY

OFFICIAL JOURNAL OF THE TURKISH SOCIETY OF GASTROENTEROLOGY



## Dyspepsia: Uninvestigated; Functional; ..... Shades of gray

### ISSUE HIGHLIGHTS

- Adiponectin, resistin, and colorectal adenomas
- Revised-mayo risk model and child-pugh score for primary sclerosing cholangitis
- JAK2 V617F mutation in thrombotic patients
- Internet sites used by gastroenterology patients
- Ulcerative colitis in Turkey

◆ Indexed in PubMed/MEDLINE and Science Citation Index Expanded

1

January 2015  
Vol. 26 Issue 1





# THE TURKISH JOURNAL OF GASTROENTEROLOGY

## EDITORS

### Editor in Chief

Hakan Şentürk

### Associate Editors

Mehmet Arhan  
Ömer Başar  
Billur Canbakan  
Şahin Çoban  
Ahmet Danalıoğlu  
Ahmet Gürakar  
Tarkan Karakan  
Seyfettin Köklü  
Veysel Tahan

### Past Editor in Chief

Cihan Yurdaydın

## EDITORIAL BOARD

Ulus Salih Akarca  
Erdem Akbal  
Meral Akdoğan  
Hakan Akın  
Hikmet Akkız  
Akif Altunbaş  
Yusuf Bayraktar  
Fatih Beşişik  
Yavuz Beyazıt  
Mehmet Cindoruk  
İbrahim Doğan

## INTERNATIONAL ADVISORY BOARD

Onur Baser, USA  
Ali Canbay, Germany  
Marc Giovannini, France  
Mouen Kashab, USA  
Anne Marie Lennon, USA  
Edouard Louis, Belgium  
Fuat H. Saner, Germany  
Erwin Santo, Israel  
Vikesh Singh, USA  
Timuçin Taner, USA

Enver Dolar  
Abdülkadir Dökmeci  
Fuat Ekiz  
Selim Gürel  
Saadettin Hülagu  
Ramazan İdilman  
Abdurrahman Kadayıfçı  
Çetin Karaca  
Zeki Karasu  
Sabahattin Kaymakoğlu  
Erdem Koçak

Aydın Şeref Köksal  
Necati Örmeci  
Ersan Özarlan  
Erkan Parlak  
Tuğrul Pürnak  
Murat Tuncer  
İlker Turan  
Ahmet Uygun  
Yücel Üstündağ  
Cihan Yurdaydın  
Osman Yüksel

*Owner: On behalf of the Turkish Society of Gastroenterology, Necati Örmeci*  
*Responsible Manager: Hakan Şentürk*



**Publisher**  
İbrahim KARA  
**Publication Director**  
Ali ŞAHİN  
**Deputy Publication Directors**  
Gökhan ÇİMEN  
Ayşegül BOYALI  
**Publication Coordinators**  
Merve AKDEMİR SAĞLIK  
Esra GÖRGÜLÜ  
Ebru MUTLU  
Betül ÇİMEN  
Saniye İNGİN  
Nihan GÜLTAN  
İrem Naz GÜVEL  
Dilşad GÜNEY

**Finance Coordinator**  
Veysel KARA  
**Project Coordinators**  
Hakan ERTEN  
Zeynep YAKIŞIRER  
**Project Assistant**  
Muhammed SAYIN  
**Graphics Department**  
Ünal ÖZER  
Neslihan YAMAN  
Merve KURT

**Contact**  
Address: Büyükdere Cad. No: 105/9  
34394 Mecidiyeköy, Şişli, İstanbul-Turkey  
Phone: +90 212 217 17 00  
Fax: +90 212 217 22 92  
E-mail: info@avesyayincilik.com  
**Yayın Türü**  
Yerel Süreli  
**Basım Tarihi**  
Ocak 2015

**Basım Yeri**  
ADA Ofset Matbaacılık Tic. Ltd. Şti.,  
Litros Yolu 2. Matbaacılar S. E Blok  
No: (ZE2) 1. Kat Topkapı,  
İstanbul-Türkiye  
Telefon : +90 212 567 12 42



# THE TURKISH JOURNAL OF GASTROENTEROLOGY

## Aims and Scope

- The Turkish Journal of Gastroenterology is the double-blind peer-reviewed, open access, international publication organ of the Turkish Gastroenterology Society. The journal is a bimonthly publication, published on February, April, June, August, October and December and its publication language is English.

The Turkish Journal of Gastroenterology aims to publish manuscripts at the highest clinical and scientific level on original issues of gastroenterology and hepatology at the international level. The journal publishes original papers, review articles, case reports and letters to the editor on clinical gastroenterology and hepatology.

Editorial and publication processes of the journal are shaped in accordance with the guidelines of the international organizations such as the International Council of Medical Journal Editors (ICMJE), the World Association of Medical Editors (WAME), the Council of Science Editors (CSE), the Committee on Publication Ethics (COPE), the European Association of Science Editors (EASE).

The Turkish Journal of Gastroenterology is indexed in Science Citation Index Expanded and PubMed/MEDLINE.

The Turkish Journal of Gastroenterology financial expenses of the journal are covered by the Turkish Gastroenterology Society.

## Permissions and Reprints

Permissions for reproduction of materials published and reprints in the Turkish Journal of Gastroenterology should be requested from the editorial office at [tgd@tgd.org.tr](mailto:tgd@tgd.org.tr).

## Advertising

For requests concerning advertising, please contact the Publisher.

## Publisher: AVES - İbrahim Kara

Address: Büyükdere Cad. 105/9 34394 Mecidiyeköy, Şişli, İstanbul, Turkey

Phone: +90 212 217 17 00

Fax: +90 212 217 22 92

Web page: [www.avesyayincilik.com](http://www.avesyayincilik.com)

E-mail: [info@avesyayincilik.com](mailto:info@avesyayincilik.com)

## Instructions for authors

Instructions for authors are published in the journal pages and could be accessed at the web site of the journal [www.turkjgastroenterol.org](http://www.turkjgastroenterol.org).

## Material Disclaimer

Statements or opinions expressed in the manuscripts published in the Turkish Journal of Gastroenterology reflect the views of the author(s) and not the opinions of the editors, the editorial board and the publisher; the editors, the editorial board and the publisher disclaim any responsibility or liability for such materials.

The journal is printed on an acid-free paper.



# THE TURKISH JOURNAL OF GASTROENTEROLOGY

## Instructions to Authors

The Turkish Journal of Gastroenterology is the double-blind peer-reviewed, international open-access publication organ of the Turkish Gastroenterology Society. The Turkish Journal of Gastroenterology publishes original papers, review articles, case reports and letters to the editor on clinical gastroenterology and hepatology. The journal is a monthly periodical and its publication language is English.

The Turkish Journal of Gastroenterology discourages the submission of more than one article dealing with related aspects of the same study. Review articles on selected clinical and basic topics of interest will be solicited by the editors. In exceptional cases, non-invited reviews may be considered for publication.

Editorial and publication processes of the journal are shaped in accordance with the guidelines of the international organizations such as the International Council of Medical Journal Editors (ICMJE), the World Association of Medical Editors (WAME), the Council of Science Editors (CSE), the Committee on Publication Ethics (COPE), the European Association of Science Editors (EASE)

The Turkish Journal of Gastroenterology will only evaluate manuscripts submitted via the journal's self-explanatory online manuscript submission and evaluation system, manuscripts submitted via any other medium will not be evaluated.

Manuscripts are published on the understanding that they are original contributions and do not contain data that have been published elsewhere or are under consideration by another journal. Meeting abstracts are not considered as duplicate publications but should be disclosed in the cover letter accompanying the manuscript.

Authors must obtain written permission from the copyright owner to reproduce previously published figures, tables, or any other material in both print and electronic formats. The original source should be cited within the references and below the reprinted material.

The Turkish Journal of Gastroenterology requires each submission to be accompanied by a Copyright Transfer Form, an Author Contributions Form and an ICMJE Form for Disclosure of Potential Conflicts of Interest.

Statements or opinions expressed in the manuscripts published in The Turkish Journal of Gastroenterology reflect the views of the author(s) and not the opinions of the editors, the editorial board or the publisher; the editors, the editorial board and the publisher disclaim any responsibility or liability for such materials.

The final responsibility in regard to the published content rests with the authors.

Each individual listed as an author should fulfil the authorship criteria recommended by the International Committee of Medical Journal Editors (Uniform Requirements for Manuscripts Submitted to Biomedical Journals. <http://www.icmje.org>). Individuals who contributed to the preparation of the manuscript but do not fulfil the authorship criteria should be acknowledged in an acknowledg-

ments section, which should be included in the title page of the manuscript. If the editorial board suspects a case of "gift authorship", the submission will be rejected without further review.

The Turkish Journal of Gastroenterology requires and encourages the authors and the individuals involved in the evaluation process to disclose any existing or potential conflicts of interests including financial, consultant, institutional and other relationships that might lead to bias or a conflict of interest.

A submitted manuscript will not be evaluated for publication until a conflict of interest disclosure is submitted. The disclosure should also be included in the main document before the reference list and in the cover letter. The following information must be provided:

- The author acting as the submission's guarantor and the corresponding author must be identified in the letter to the editor.
- Any financial or editorial assistance received to support the research and/or article should be cleared.
- Identification of any relationships that provided financial or editorial support for the study which may in potential cause competing interests for the submission.

The authors should state in the Materials and Methods section of the main text that experiments have been performed in compliance with the ethical principles of the assigned institutional board or national committee. Application or approval number/year for the study should also be indicated.

It is the author's responsibility to carefully protect the patients' anonymity and to verify that any experimental investigation with human subjects reported in the submission was performed with informed consent and following all the guidelines for experimental investigation with human subjects required by the institution(s) with which all the authors are affiliated with. For photographs that may reveal the identity of the patients, signed releases of the patient or of his/her legal representative should be enclosed.

When reporting experiments on human subjects, indicate whether the procedures followed were in accordance with the ethical standards of the responsible committee on human experimentation (institutional or regional) and with the Helsinki Declaration (JAMA 2000;284:3043-3049).

As part of submission of the manuscript, the correspondent author should send a short statement declaring that he/she accepts to undertake all the responsibility for authorship during the submission and review stages of the manuscript.

Originality, high scientific quality and citation potential are the most important criteria for a manuscript to be accepted for publication.

Manuscripts submitted to the journal will first go through a technical evaluation process where the editorial office staff will ensure that the manuscript is prepared and submitted in accordance with



# THE TURKISH JOURNAL OF GASTROENTEROLOGY

the journal's guidelines. Submissions that don't conform the journal's guidelines will be returned to the submitting author with technical correction requests. Manuscripts that conform the journal's guidelines will be reviewed by at least 3 external peer reviewers during the evaluation process. The Editor in Chief is the final authority in the decision making process.

Authors of a paper accepted for publication in the Turkish Journal of Gastroenterology should be in consent of that editors could make corrections without changing the basic meaning of the text of the manuscript.

All submissions are screened by a similarity detection software. In case there is more than 20% similarity with existing studies, the paper is automatically rejected.

## MANUSCRIPT PREPARATION

Manuscripts should be prepared in accordance with the ICMJE - Recommendations for the Conduct, Reporting, Editing and Publication of Scholarly Work in Medical Journals (updated in December 2013 - available at [www.icmje.org](http://www.icmje.org)).

Original Investigations and Reviews should be presented according to the guidelines: randomized study - CONSORT, observational study - STROBE, study on diagnostic accuracy - STARD, systematic reviews and meta-analysis PRISMA, nonrandomized behavioural and public health intervention studies - TREND.

## Cover letter

A letter of submission must be included in all manuscripts, including revised manuscripts.

This letter may be used to emphasize the importance of the study or new significant points included to the revised manuscript. This letter can be typed or added to the relevant section of the online submission using copy/paste method. In the cover letter of each submission, the authors should briefly state the existing knowledge relevant to the study and the contributions their study make to the existing knowledge.

## Title page

A separate title page should be submitted with all submissions and should include the title of the manuscript, name(s), affiliations and major degree(s) of the author(s) and source(s) of the work or study, a short title (running head) of no more than 50 characters. The name, address, telephone (including the mobile phone number) and fax numbers and e-mail address of the corresponding author should be listed on the title page. Grant information and other sources of support should also be included on the Title page. Individuals who contributed to the preparation of the manuscript but do not fulfil the authorship criteria should be acknowledged in the title page.

## Main Document

### Abstract

All manuscripts should be accompanied an abstract. A structured abstract is required with original articles and it should include the following subheadings: Background/Aims, Material and Methods,

Results and Conclusion. A structured abstract is not required with review articles and case reports. The abstract should be limited to 250 words for original articles and review articles and 150 words for case reports.

### Keywords

Each submission should be accompanied by 3 to 5 key words which should be picked from the Medical Subject Headings (MeSH) list ([www.nlm.nih.gov/mesh/MBrowser.html](http://www.nlm.nih.gov/mesh/MBrowser.html)).

### Main Text

**Original Articles:** Acceptance of original papers will be based upon the originality and importance of the investigation. Turkish Journal of Gastroenterology encourages submission of widely readable clinical studies. The journal does not consider animal experiments for evaluation and only prospective or retrospective clinical studies are evaluated as original papers.

Original Articles should be structured with Introduction, Materials and Methods, Results and Discussion subheadings. The number of references cited should not exceed 35 and the main text should be limited to 4000 words. An original article can be signed by maximum 6 authors unless it is a multi-center study or that it required extensive labour.

**Introduction:** Provide background information that will orient the general reader.

**Materials/Patients and Methods:** Materials/Patients and Methods: Provide a level of detail such that another investigator could repeat the work for methods that are used without significant modification. Citation of the original work will suffice. For reports of research using human subjects, state that informed consent was obtained from each patient and that institutional ethic committee approval was obtained.

State if informed consent was obtained from each patient and that ethic committee approval was obtained.

**Results:** Use tables and figures for better understanding. Please refer to the instructions before uploading images to the website.

**Discussion:** Discuss your results by citations; avoid discussion of other related works. Do not engage in a literature review.

**Case Reports:** Turkish Journal of Gastroenterology encourages submission of original and interesting case series. Single case reports are not considered for evaluation and publication; however, submission of single case reports in the letter to the editor format is possible and encouraged.

The main text of Case Reports should be limited with 1200 words and should be structured with the following subheadings; Introduction, Case Presentation and Discussion. The maximum number of references cited in a case report should be 10. A case report can be signed by maximum 5 authors unless the report entails a rare disease or condition with a cohort or multi-center.



# THE TURKISH JOURNAL OF GASTROENTEROLOGY

**Review Articles:** Mainly, invited reviews on specific topics are published. In exceptional cases, non-invited reviews may be considered for publication. Individuals interested in writing a review article must correspond with the Editorial Office regarding the topic before submitting the entire manuscript. The subheadings of the review articles should be planned by the authors. However, each review article should include a "Conclusion" section. The main text of review articles should be limited with 5000 words. The number of references cited should not exceed 50.

**Editorials:** Invited brief editorial comments on selected articles are published in The Turkish Journal of Gastroenterology. Editorials should not be longer than 1000 words excluding references.

**Letter to the editor:** Letters to the editor, containing case reports or brief reports of studies should not be longer than 400 words excluding references. Letters should include no more than 5 references.

**Invited Letters to the Editor:** Letters related to articles published in recent issues of the Turkish Journal of Gastroenterology or to topics of gastroenterology are welcomed and will be considered for publication. A publication fee will not be requested for the letters in this category.

- Letters to the editors should be sent within 6 months of publication of the commented article. Should not be longer than 400 words excluding references. Commented article should be cited as a reference. Letters should include no more than 5 references.
- Letters to the editor, containing case reports or brief reports of studies should not be longer than 400 words excluding references. Letters should include no more than 5 references.

All acronyms and abbreviations used in the manuscript should be defined at first use, both in the abstract and the main text. The abbreviation should be provided in parenthesis following the definition.

Statistical analysis should be performed in accordance with guidelines on reporting statistics in medical journals (Altman DG, Gore SM, Gardner MJ, Pocock SJ. Statistical guidelines for contributors to medical journals. *Br Med J* 1983; 7; 1489-93.). Information on the statistical analysis process of the study should be provided within the main text.

When a drug, product, hardware, or software mentioned within the main text product information, including the name of the product, producer of the product, city of the company and the country of the company should be provided in parenthesis in the following format: "Discovery St PET/CT scanner (General Electric, Milwaukee, WI, USA)"

All references, tables and figures should be referred to within the main text and they should be numbered consecutively in the order they are referred to within the main text.

Limitations, drawbacks and shortcomings of original articles should be mentioned in the "Discussion" section before the conclusion paragraph.

## References

References should be numbered consecutively in the order they are referred to within the main text and all references listed in the reference list should be referred to within the main text in parenthesis. Style and punctuation of each reference in the reference list should be in accordance with the examples listed below;

Standard journal article: Journal titles should be abbreviated in accordance with journal abbreviations used in Index Medicus (for journal abbreviations consult List of Journals indexed for MEDLINE published annually by NLM at <http://www.nlm.nih.gov/tsd/serials/lji.html>). When there are six or fewer authors, all authors should be listed. If there are seven or more authors, first 3 should be listed, followed by "et al.". A list of authors should be followed by the full title of the article, journal title, year, volume and page numbers.

Example: Mittal RK, Holloway RH, Penagini R, et al. Transient lower esophageal sphincter relaxation. *Gastroenterology* 1995; 109: 601-10.

## Books:

Chapter in a book: Sherry S. Detection of thrombi. In: Strauss HE, Pitt B, James AE, editors. *Cardiovascular Medicine*. St Louis: Mosby; 1974.p. 273-85.

Personal author(s): Cohn PF. Silent myocardial ischemia and infarction. 3<sup>rd</sup> ed. New York: Marcel Dekker; 1993.

Editor (s), compiler(s) as author: Norman IJ, Redfern SJ, editors. *Mental health care for elderly people*. New York: Churchill Livingstone; 1996.

Conference paper: Bengissson S. Sothemin BG. Enforcement of data protection, privacy and security in medical informatics. In: Lun KC, Degoulet P, Piemme TE, Rienhoff O, editors. *MEDINFO 92. Proceedings of the 7th World Congress on Medical Informatics*; 1992 Sept 6-10; Geneva, Switzerland. Amsterdam: North-Holland; 1992. P. 1561-5.

Scientific or technical report: Smith P, Golladay K. Payment for durable medical equipment billed during skilled nursing facility stays. Final report. Dallas (TX) Dept. of Health and Human Services (US). Office of Evaluation and Inspections: 1994 Oct. Report No: HHSIGOE 169200860.

Dissertation: Kaplan SI. Post-hospital home health care: the elderly access and utilization (dissertation). St. Louis (MO): Washington Univ. 1995.

Article in electronic format: Morse SS. Factors in the emergence of infectious diseases. *Emerg Infect Dis* (serial online) 1995 Jan-Mar (cited 1996 June 5): 1(1): [24 screens]. Available from: <http://www.cdc.gov/ncidod/EID/cid.htm>.



# THE TURKISH JOURNAL OF GASTROENTEROLOGY

## Tables

Tables should be included in the main document and should be presented after the reference list. Tables should be numbered consecutively in the order they are referred to within the main text. A descriptive title should be provided for all tables and the titles should be placed above the tables. Abbreviations used in the tables should be defined below the tables by footnotes (even if they are defined within the main text). Tables should be created using the "insert table" command of the word processing software and they should be arranged clearly to provide an easy reading. Data presented in the tables should not be a repetition of the data presented within the main text but should be supporting the main text.

## Figures and Figure Legends

Figures, graphics and photographs should be submitted as separate files (in TIFF or JPEG format) through the submission system. The files should not be embedded in a Word document or the main document. When there are figure subunits, the subunits should not be merged to form a single image. Each subunit should be submitted separately through the submission system. Images should not be labelled (a, b, c, etc.) to indicate figure subunits. Thick and thin arrows, arrowheads, stars, asterisks and similar marks can be used on the images to support figure legends. Like the rest of the submission, the figures too should be blind. Any information within the images that may indicate an individual or institution should be blinded. The minimum resolution of each submitted figure should be 300DPI. To prevent delays in the evaluation process all submitted figures should be clear in resolution and large in size (minimum dimensions 100x100 mm)

Figure legends should be listed at the end of the main document.

Once a manuscript is accepted for publication it will be provided with a registered DOI number following the acceptance decision. Manuscripts accepted for publication by the Turkish Journal of Gastroenterology will be published as ahead of print articles prior to the printing date of their scheduled issue. Corresponding author will be provided with a PDF Proof by the publisher once the production process of an accepted manuscript is over. The publisher will request the corresponding author to list their correction requests if there are any and approve the publication of the manuscript.

## PUBLICATION FEE

A non-refundable charge of 299 USD (795 TL or 265 Euro) for each accepted manuscript must be paid by the author(s) to the Turkish Society of Gastroenterology (Türk Gastroenteroloji Derneği) (Bank account: Türkiye Halk Bankası, Emek Branch Office). The journal will supply all publication expenses including copy-editing service and statistician's endorsement through these funds.

### Account numbers:

#### Turkish Lira (TL):

IBAN CODE: TR88 0001 2009 4010 0016 0000 63

#### EURO (€):

IBAN CODE: TR60 0001 2009 4010 0058 000112

#### SWIFT CODE:

TRHBTR2A

#### US Dollars (\$)

IBAN CODE: TR87 0001 2009 4010 0058 0001111

#### SWIFT CODE: TRHBTR2A

In case of acceptance of a manuscript that contains colour illustrations, an additional fee of 50TL (25USD, 12€) is requested to be paid to the same bank account.

## PERMISSIONS AND REPRINTS

Permissions for reproduction of materials published and reprints in the Turkish Journal of Gastroenterology should be requested from the editorial office at [tgd@tgd.org.tr](mailto:tgd@tgd.org.tr).

## INSTRUCTIONS FOR AUTHORS

Instructions for authors are published in the journal pages and could be accessed at the web site of the journal [www.turkjgastroenterol.org](http://www.turkjgastroenterol.org).

The journal is printed on an acid-free paper.



# THE TURKISH JOURNAL OF GASTROENTEROLOGY

## Original Articles

- **1 Association between polymorphism of dopamine D2 receptor genes and therapeutic effect of domperidone in functional dyspepsia**  
*Zun Xiang, Han Ma, Yun Mou, Cheng-fu Xu*
- **6 Effect of pantoprazole and *Helicobacter pylori* therapy on uninvestigated dyspeptic patients**  
*Birol Baysal, Hakan Şentürk, Omar Masri, Mukaddes Tozlu, Yusuf Kayar, Elif Arabacı, Ömer Uysal, Mehmet Sait Buğdacı, Ali Tüzün İnce*
- **15 Visual evoked potentials and pulse wave velocity in inflammatory bowel disease**  
*Erman Aytaç, Deram Büyüktaş, Birol Baysal, Murat Atar, Mustafa Yıldız, Bilgi Baca, Tayfun Karahasanoğlu, Aykut Çelik, Hakkı Oktay Seymen, İsmail Hamzaoğlu*
- **20 The relationship between serum adiponectin and resistin levels, insulin resistance and colorectal adenomas**  
*Nazlı Demir, Emel Ahışalı, Can Dolapçioğlu, Şerif Ercan, Asuman Orçun Kaptanağası, Reşat Dabak, Nihal Yücel, Mehmet Sargin, Oya Uygur Bayramiçli*
- **25 Clinical course and predictors of total colectomy in ulcerative colitis; a referral center experience from Turkey**  
*İsmail Hakkı Kalkan, Ülkü Dağlı, Murat Kekilli, Erkin Öztaş, Bilge Tunç, Aysel Ülker*
- **31 Comparative assessment of prognostic value for revised-mayo risk model and child-pugh score in patients with primary sclerosing cholangitis**  
*Erkin Öztaş, Diğdem Özer Etik, Rahşan Olga Metin, İsmail Hakkı Kalkan, Erkan Parlak, Fatih Oğuz Önder, Mehmet Arhan, Nurgül Şaşmaz*
- **36 The importance of the serum quantitative levels of hepatitis B surface antigen and hepatitis B e antigen in children with chronic hepatitis B**  
*Kaan Demirören, Halil Kocamaz, Yaşar Doğan*
- **42 Diagnostic value of the JAK2 V617F mutation for latent chronic myeloproliferative disorders in patients with budd-chiari syndrome and/or portal vein thrombosis**  
*Süleyman Karaköse, Nevin Oruç, Melia Zengin, Ulus Salih Akarca, Galip Ersöz*
- **49 Use of internet resources by patients awaiting gastroenterology consultation**  
*Anouar Teriaky, Vikram Tangri, Nilesh Chande*

## Case Reports

- **53 Pancreatic metastasis in a case of small cell lung carcinoma diagnosed by EUS**  
*Tarkan Karakan, Mustafa Cengiz, Mehmet İbiş, Nalan Akyürek, Selahattin Ünal*
- **56 Gastrointestinal stromal tumor and leiomyoma of the ileum mimicking adnexal mass: A report of two cases**  
*Levent Akman, Behiye Seda Hurşitoğlu, Rasim Farajov, Mustafa Coşan Terek, Murat Sezak, Deniz Şimşek, Hüseyin Yılmaz*
- **60 Rectal diverticulitis mimicking rectal carcinoma with intestinal obstruction: Case report**  
*Ümit Özçelik, Hüseyin Yüce Bircan, Eryiğit Eren, Ebru Demiralay, İclal Işıklar, Alp Demirağ, Gökhan Moray*

## Letters to the Editor

- **63 Candida esophagitis mimicking esophageal malignancy on 18FDG PET/CT**  
*Serkan Kuyumcu, Yasemin Şanlı, Gülçin Yeğen, Ayşe Mudun*
- **65 Imaging findings of an isolated gastric tuberculosis case mimicking lymphoma and infiltrative gastric cancer**  
*Bahadır Öztürk, Mehmet Selim Nural, Özgür Ecemiş, Murat Danacı*
- **67 Acute pancreatitis due to pancreatic involvement of Burkitt's lymphoma in a child**  
*Cengiz Erol, Doğan Köse, Hasan Ali Yüksekaya, Yavuz Köksal*
- **69 Eosinophilic esophagitis in a girl with pollen allergy who showed trachealization**  
*Himmet Haluk Akar, Eylem Sevinc, Hülya Akgun, Serdal Saadet Özcan, Duran Arslan, Fulya Tahan*





# THE TURKISH JOURNAL OF GASTROENTEROLOGY

- **71 Danger in unlabeled bottles: Analysis of corrosive substances**  
*Özlem Boybeyi, Gülnur Göllü, Ucler Kısa, Berktuğ Bahadır, Yasemin Dere Günal, Gönül Küçük, Mustafa Kemal Aslan, Tutku Soyer, Aytül Çakmak, Murat Çakmak*
- **73 Adulthood hepatoblastoma**  
*Tülay Akman, Mehmet Asi Oktan, İlkey Tuğba Unek, Tarkan Unek, İlhan Öztop, Tuğba Yavuzsen, Ahmet Uğur Yılmaz, Özgül Sağol*
- **75 Swallowing-Induced atrioventricular block and syncope in a patient with achalasia**  
*Halil İbrahim Erdoğan, Hasan Gök, Mustafa Karanfil*
- **77 Coach syndrome: The first case from Turkey**  
*Fatih Tekin, Ulus Salih Akarca*
- **79 Pyogenic granuloma in differential iron deficiency diagnosis**  
*Göksel Bengi, Dilek Solmaz, Müjde Soyturk, Özge Çokbankir, Kutsal Yörükoğlu*
- **82 A new technique for the removal of a transmigrated intrauterine device with rectum penetration**  
*Erzat Toprak, Hüseyin Savaş Göktürk, Ahmet Tolu*
- **85 Primary adrenal non Hodgkin lymphoma: Changing trends**  
*Somanath Padhi, Jayaprakash Sahoo*
- **87 Intra gastric balloon and epigastric pain: Beware of the pancreas**  
*Navajas-Laboa Maria, Bridet Lionel, Orive-Calzada Aitor, Cabriada-Nuno Jose Luis*
- **89 Nonoperative treatment versus appendectomy for uncomplicated acute appendicitis**  
*Özgür Türk, Hasan Polat*
- **91 Diagnostic difficulty in subepithelial gastric tumors, and the efficacy of laparoscopy-assisted distal gastrectomy in gastric cancer**  
*Enver İlhan, Ali Alemdar, Orhan Üreyen*

## Gastroenterology Elsewhere

- **93 Use of elafin in celiac disease**  
*Taylan Kav*



# THE TURKISH JOURNAL OF GASTROENTEROLOGY

## From the Editor

I am happy to inform you that beginning with 2015, we are going to publish Turk J Gastroenterol monthly.

We have significantly shortened the evaluation process in 2014 and with the new monthly publication frequency, we are going to overcome publication delays too. In 2015, a submitted manuscript will have a final decision within the 4-8 weeks of submission and each manuscript will be published online in ahead of print format within 4-8 weeks of the final decision.

In 2014, our top articles were downloaded between 4000-8000 times. In the same year, for example, top articles of UEG Gastroenterology (Official Publication of United European Gastroenterology) were downloaded between 1000-2000 times. We are expecting this trend to positively affect Turk J Gastroenterol's Impact Factor in 2016 and 2017. You would appreciate that we are unwilling to publish articles with low citation potential. Our download rates proves that we are selecting the right articles.

***In 2014, our top articles  
were downloaded between  
4000-8000 times***

In due course, we would be pleased to receive your high quality papers for rapid publication. As it was stated before, we do not publish single case reports and publish only very original case series. Letters to the editor are confined to comments on published articles.

We hope, our collaborative efforts would yield a golden year for Turk J Gastroenterol. Why don't you become a part of it?

Sincerely,

**Hakan Şentürk**  
Editor in Chief